



Product Service

CERTIFICATE

No. Z2 001256 0005 Rev. 04

Holder of Certificate: **Win Win Precision Technology Co., Ltd.**
4F., No.180, Sec/2, Gongdao 5th Road
East Dist.
30070 Hsinchu City
TAIWAN

Certification Mark:



Product: **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**
Mono-Crystalline Silicon Photovoltaic Module

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 614101801305

Valid until: 2026-03-14

Date, 2021-03-16

(Louis Wu)

CERTIFICATE

No. Z2 001256 0005 Rev. 04

Model(s):

WSP-xxxM6, xxx = 170~200 in step of 5 (for 36 cells)
 WSP-xxxM6, xxx = 225~265 in step of 5 (for 48 cells)
 WSP-xxxM6, xxx = 255~300 in step of 5 (for 54 cells)
 WSP-xxxM6, xxx = 280~335 in step of 5 (for 60 cells)
 WST-xxxM6, xxx = 170~200 in step of 5 (for 36 cells)
 WST-xxxM6, xxx = 225~265 in step of 5 (for 48 cells)
 WST-xxxM6, xxx = 255~300 in step of 5 (for 54 cells)
 WST-xxxM6, xxx = 280~335 in step of 5 (for 60 cells)
 WSP-xxxMX, xxx = 180~200 in step of 5 (for 36 cells)
 WSP-xxxMX, xxx = 240~270 in step of 5 (for 48 cells)
 WSP-xxxMX, xxx = 270~305 in step of 5 (for 54 cells)
 WSP-xxxMX, xxx = 300~340 in step of 5 (for 60 cells)
 WST-xxxMX, xxx = 180~200 in step of 5 (for 36 cells)
 WST-xxxMX, xxx = 240~270 in step of 5 (for 48 cells)
 WST-xxxMX, xxx = 270~305 in step of 5 (for 54 cells)
 WST-xxxMX, xxx = 300~340 in step of 5 (for 60 cells)
 WSP-xxxM6G, xxx = 170~200 in step of 5 (for 36 cells)
 WSP-xxxM6G, xxx = 225~265 in step of 5 (for 48 cells)
 WSP-xxxM6G, xxx = 255~300 in step of 5 (for 54 cells)
 WSP-xxxM6G, xxx = 280~335 in step of 5 (for 60 cells)
 WST-xxxM6G, xxx = 170~200 in step of 5 (for 36 cells)
 WST-xxxM6G, xxx = 225~265 in step of 5 (for 48 cells)
 WST-xxxM6G, xxx = 255~300 in step of 5 (for 54 cells)
 WST-xxxM6G, xxx = 280~335 in step of 5 (for 60 cells)
 WSP-xxxMG, xxx = 355~380 in step of 5 (for 120 cells)
 WST-xxxMG, xxx = 355~380 in step of 5 (for 120 cells)
 WSP-xxxMG, xxx = 320~335 in step of 5 (for 108 cells)
 WSP-333MG (for 108 cells)
 WST-xxxMG, xxx = 320~335 in step of 5 (for 108 cells)
 WST-333MG (for 108 cells)
 WSP-xxxMGL, xxx = 355~380 in step of 5 (for 120 cells)
 WST-xxxMGL, xxx = 355~380 in step of 5 (for 120 cells)
 WSP-xxxMGL, xxx = 320~335 in step of 5 (for 108 cells)
 WSP-333MGL (for 108 cells)
 WST-xxxMGL, xxx = 320~335 in step of 5 (for 108 cells)
 WST-333MGL (for 108 cells)
 xxx is standing for rated output power at STC



CERTIFICATE

No. Z2 001256 0005 Rev. 04

Brand Name: WINAICO

Parameters:

Rated output power at STC: See below
Construction: Framed, with Junction box, Cable and Connectors.
Safety Class: Class II
Pollution Degree: 2
Module fire performance: Type 4
Fire safety class: C
Maximum System voltage: 1000 VDC
Test Laboratory: Telecom Technology Center Communication and Photovoltaic Laboratory- Telecom Technology Center No.3, Luke 1'st Rd., Lujhu, Kaohsiung city, Taiwan, CHINESE TAIPEI

CERTIFICATE

No. Z2 001256 0005 Rev. 04

<u>Model #</u>	<u>Wattage</u>
WSP-170M6, WST-170M6, WSP-170M6G, WST-170M6G	170W
WSP-175M6, WST-175M6, WSP-175M6G, WST-175M6G	175W
WSP-180M6, WST-180M6, WSP-180MX, WST-180MX, WSP-180M6G, WST-180M6G	180W
WSP-185M6, WST-185M6, WSP-185MX, WST-185MX, WSP-185M6G, WST-185M6G	185W
WSP-190M6, WST-190M6, WSP-190MX, WST-190MX, WSP-190M6G, WST-190M6G	190W
WSP-195M6, WST-195M6, WSP-195MX, WST-195MX, WSP-195M6G, WST-195M6G	195W
WSP-200M6, WST-200M6, WSP-200MX, WST-200MX, WSP-200M6G, WST-200M6G	200W
WSP-225M6, WST-225M6, WSP-225M6G, WST-225M6G	225W
WSP-230M6, WST-230M6, WSP-230M6G, WST-230M6G	230W
WSP-235M6, WST-235M6, WSP-235M6G, WST-235M6G	235W
WSP-240M6, WST-240M6, WSP-240MX, WST-240MX, WSP-240M6G, WST-240M6G	240W
WSP-245M6, WST-245M6, WSP-245MX, WST-245MX, WSP-245M6G, WST-245M6G	245W
WSP-250M6, WST-250M6, WSP-250MX, WST-250MX, WSP-250M6G, WST-250M6G	250W
WSP-255M6, WST-255M6, WSP-255MX, WST-255MX, WSP-255M6G, WST-255M6G	255W
WSP-260M6, WST-260M6, WSP-260MX, WST-260MX, WSP-260M6G, WST-260M6G	260W
WSP-265M6, WST-265M6, WSP-265MX, WST-265MX, WSP-265M6G, WST-265M6G	265W
WSP-270M6, WST-270M6, WSP-270MX, WST-270MX, WSP-270M6G, WST-270M6G	270W
WSP-275M6, WST-275M6, WSP-275MX, WST-275MX, WSP-275M6G, WST-275M6G	275W
WSP-280M6, WST-280M6, WSP-280MX, WST-280MX, WSP-280M6G, WST-280M6G	280W
WSP-285M6, WST-285M6, WSP-285MX, WST-285MX, WSP-285M6G, WST-285M6G	285W
WSP-290M6, WST-290M6, WSP-290MX, WST-290MX, WSP-290M6G, WST-290M6G	290W
WSP-295M6, WST-295M6, WSP-295MX, WST-295MX, WSP-295M6G, WST-295M6G	295W
WSP-300M6, WST-300M6, WSP-300MX, WST-300MX, WSP-300M6G, WST-300M6G	300W

CERTIFICATE

No. Z2 001256 0005 Rev. 04

<u>Model #</u>	<u>Wattage</u>
WSP-305M6, WST-305M6, WSP-305MX, WST-305MX, WSP-305M6G, WST-305M6G	305W
WSP-310M6, WST-310M6, WSP-310MX, WST-310MX, WSP-310M6G, WST-310M6G	310W
WSP-315M6, WST-315M6, WSP-315MX, WST-315MX, WSP-315M6G, WST-315M6G	315W
WSP-320M6, WST-320M6, WSP-320MX, WST-320MX, WSP-320M6G, WST-320M6G, WSP-320MG, WST-320MG, WSP-320MGL, WST-320MGL	320W
WSP-325M6, WST-325M6, WSP-325MX, WST-325MX, WSP-325M6G, WST-325M6G, WSP-325MG, WST-325MG, WSP-325MGL, WST-325MGL	325W
WSP-330M6, WST-330M6, WSP-330MX, WST-330MX, WSP-330M6G, WST-330M6G, WSP-330MG, WST-330MG, WSP-330MGL, WST-330MGL	330W
WSP-333MG, WST-333MG, WSP-333MGL, WST-333MGL	333W
WSP-335M6, WST-335M6, WSP-335MX, WST-335MX, WSP-335M6G, WST-335M6G, WSP-335MG, WST-335MG, WSP-335MGL, WST-335MGL	335W
WSP-340MX, WST-340MX	340W
WSP-355MG, WST-355MG, WSP-355MGL, WST-355MGL	355W
WSP-360MG, WST-360MG, WSP-360MGL, WST-360MGL	360W
WSP-365MG, WST-365MG, WSP-365MGL, WST-365MGL	365W
WSP-370MG, WST-370MG, WSP-370MGL, WST-370MGL	370W
WSP-375MG, WST-375MG, WSP-375MGL, WST-375MGL	375W
WSP-380MG, WST-380MG, WSP-380MGL, WST-380MGL	380W

**Tested
according to:**

IEC 61215-1:2016
 IEC 61215-1-1:2016
 IEC 61215-2:2016
 IEC 61730-1:2016
 IEC 61730-2:2016
 EN 61215-1:2016
 EN 61215-1-1:2016
 EN 61215-2:2017
 EN IEC 61730-1:2018
 EN IEC 61730-1:2018/AC:2018-06
 EN IEC 61730-2:2018
 EN IEC 61730-2:2018/AC:2018-06